

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 May 2003 (01.05.2003)

(10) International Publication Number  
**WO 03/036520 A1**

PCT

- (51) International Patent Classification<sup>7</sup>: **G06F 17/30**
- (21) International Application Number: PCT/US02/34014
- (22) International Filing Date: 23 October 2002 (23.10.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/336,444 23 October 2001 (23.10.2001) US
- (71) Applicant: **VISTO CORPORATION [US/US]**; 275 Shoreline Drive, Suite 300, Redwood Shores, CA 94065 (US).


- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

- (72) Inventor: **MENDEZ, Daniel, J.**; 275 Gloria Circle, Menlo Park, CA 94025 (US).
- (74) Agents: **WININGER, Aaron et al.**; Squire, Sanders & Dempsey L.L.P., 600 Hansen Way, Palo Alto, CA 94304-1043 (US).

Published:  
— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SYSTEM AND METHOD FOR MERGING REMOTE AND LOCAL DATA IN A SINGLE USER INTERFACE



(57) Abstract: The system comprises a local database; a user interface (160); a remote access engine, communicatively coupled to a network (140), the user interface, and the local database; and a rendering engine, communicatively coupled to the remote access engine. The user interface receives a data search request. The remote access engine searches for and retrieves, from a remote database (120) communicatively coupled to the network (140) and the local database, data corresponding to the received search request. The rendering engine displays the received data from the remote database and the local database.

Best Available Copy



WO 03/036520 A1

SYSTEM AND METHOD FOR MERGING REMOTE AND LOCAL  
DATA IN A SINGLE USER INTERFACE

Technical Field

5           This invention relates generally to user interfaces, and more particularly, but not exclusively, provides a system and method for merging remotely and locally stored data into a single user interface.

10   Background

          Conventionally, wireless devices, such as wireless-enabled PDAs, enable a user to search for, retrieve, and display locally stored data. Further, wireless devices may also enable a user to search for, retrieve, and display remotely stored data. However,  
15   even if search terms are identical for searching from locally stored and remotely stored data, each search must be performed separately, and results must be displayed separately.

          Accordingly, a new system and method for searching, retrieving, and displaying locally and remotely stored data are  
20   needed.

SUMMARY

          The present invention provides a system for merging remotely and locally stored data into a single user interface. The  
25   system comprises a remote access client; a browser/rendering client; an application/user interface (UI); and a local database. The

remote access client enables the system to access remotely stored data. The browser/rendering client renders a display on a monitor or other display device. The application/user interface receives data search requests and enables a user to refine data search requests. Further, the application/user interface, in conjunction with the remote access engine, accesses remotely stored data to receive data corresponding to the search request. The application/user interface also accesses the local database to retrieve locally stored data corresponding to the search request.

10 The application/user interface, in conjunction with the browser/rendering client, then displays the matching data from the database and from the remotely stored data in a merged interface.

The present invention further provides a method for merging remotely and locally stored data into a single user interface. The method comprises: receiving a data search request, searching locally stored and remotely stored data for data corresponding to the data search request; retrieving data corresponding to the data search request from locally and remotely stored data, and displaying the retrieved data from locally stored and remotely stored locations corresponding to the data search request in a merged user interface.

Accordingly, the system and method may advantageously merge remotely and locally stored data into a single user interface.

### BRIEF DESCRIPTION OF THE DRAWINGS

Non-limiting and non-exhaustive embodiments of the present invention are described with reference to the following figures, wherein like reference numerals refer to like parts throughout the various views unless otherwise specified.

FIG. 1 is a block diagram illustrating a network system in accordance with an embodiment of the present invention;

FIG. 2 is a block diagram illustrating an example computer in accordance with an embodiment of the present invention;

FIG. 3 is a block diagram illustrating details of the integrated user interface system of FIG. 1;

FIG. 4 is a flowchart illustrating a method for viewing data stored either locally or remotely

FIG. 5 is a flowchart illustrating a method for merging remotely and locally stored data into a single user interface;

FIG. 6 is a diagram illustrating an example embodiment of a user interface selection page;

FIG. 7 is a diagram illustrating a corporate directory graphical user interface for searching and retrieving data from a local memory, a remote memory and merged memory (i.e., both local and remote memory);

FIG. 8 is a diagram illustrating a search term page for retrieving data from both local and remote memory for display in a single interface;

FIG. 9 is a diagram illustrating a refine search page; and

FIG. 10 is a diagram illustrating local and remote corporate data merged into an example single user interface.

5    DETAILED DESCRIPTION OF THE ILLUSTRATED EMBODIMENTS

The following description is provided to enable any person skilled in the art to make and use the invention, and is provided in the context of a particular application and its requirements.

Various modifications to the embodiments will be readily apparent  
10    to those skilled in the art, and the generic principles defined herein may be applied to other embodiments and applications without departing from the spirit and scope of the invention. Thus, the present invention is not intended to be limited to the embodiments shown, but is to be accorded the widest scope consistent with the  
15    principles, features and teachings disclosed herein.

FIG. 1 is a block diagram illustrating a mobile device 150, and remote server computer(s) 130 communicatively coupled to a network 140, such as the Internet or a LAN, etc. In an embodiment of the invention, remote server computer(s) may be  
20    behind a firewall. The remote server computer(s) 130 is communicatively coupled to remote storage 100. Mobile device 150 may include a personal digital assistant (PDA), laptop computer, mobile phone or any other device capable to communicate with remote server computer(s) 130. Further, mobile device 150, as well

as remote server computer(s) 130, may be communicatively coupled to network 140 via a wired or wireless connection. In an alternative embodiment, mobile device 150 may be directly communicatively coupled to remote server computer(s) 130 without the use of network 140. Mobile device 150 will be discussed in further detail in conjunction with FIG. 2.

Remote server computer(s) 130 includes a synchronization server 140 and a remote access (R/A) server 145. Synchronization server 140 synchronizes sync W/E 127 in remote database 120 with data stored in mobile device 150.

Remote storage device 100 may include a server or other device for storing data and is capable to communicate with remote server computer(s) 130. Remote storage 100 includes a remote database manager 110 and a remote database 120. Remote database manager 110 manages database 120, which includes remote workspace elements (W/E) 125 and sync W/E 127. Remote W/E 125 includes data that is stored remotely and not synchronized with data stored in mobile device 150. Sync W/E 127 includes data that is stored remotely and also synchronized with data stored in mobile device 150. In general, remote database 120 may include corporate data, such as a corporate directory, corporate schedules, sales force automation (SFA) data, and/or customer relationship management (CRM) data, etc. As compared with database 340 (FIG. 3) of mobile device 150, remote database

120 generally may include information that is sensitive, voluminous, and/or quickly stale. R/A server 145 enables mobile device 150 to remotely log into remote storage 100 and access remote database 120 to search for and retrieve data.

5           FIG. 2 is a block diagram illustrating an example computer in accordance with the present invention. In an embodiment of the invention, mobile device 150 and remote server computer(s) 130 may include or be resident on a computer that is substantially similar to example computer 200. The example computer 200  
10 includes a central processing unit (CPU) 205; working memory 210; persistent memory 220; input/output (I/O) interface 230; display 240 and input device 250, all communicatively coupled to each other via system bus 260. CPU 205 may include an Intel Pentium® microprocessor, a Motorola PowerPC® microprocessor, or  
15 any other processor capable to execute software stored in persistent memory 220. Working memory 210 may include random access memory (RAM) or any other type of read/write memory devices or combination of memory devices. Persistent memory 220 may include a hard drive, read only memory (ROM) or  
20 any other type of memory device or combination of memory devices that can retain data after example computer 200 is shut off. I/O interface 230 is communicatively coupled, via wired or wireless techniques, to network 140. In an alternative embodiment of the invention, I/O 230 may be directly communicatively coupled to a

server or computer, thereby eliminating the need for network 140.

Display 240 may include a cathode ray tube display or other display device. Input device 250 may include a keyboard, mouse, or other device for inputting data, or a combination of devices for  
5 inputting data.

One skilled in the art will recognize that the example computer 200 may also include additional devices, such as network connections, additional memory, additional processors, LANs, input/output lines for transferring information across a  
10 hardware channel, the Internet or an intranet, etc. One skilled in the art will also recognize that the programs and data may be received by and stored in the system in alternative ways.

FIG. 3 is a block diagram illustrating integrated UI system 160 of the mobile device 150. System 160 includes a remote  
15 access client 300, a browser/rendering client 310, a sync client 320, an application/UI 330, and a database 340. Remote access client 300 accesses remote database 120 (FIG. 1) for searching, modifying and /or retrieving data. Browser/rendering client 310 renders data so as to be viewable on display 240. Sync client 320,  
20 in conjunction with remote access client 300, synchronizes data stored in database 340 with data stored in remote database 120.

Note that not all data in database 340 is synchronized with remote database 120. Conversely, not all data in remote database 120 is synchronized with database 340. For example, remote W/E



125 in remote database 120, which may be deemed to be sensitive, voluminous or quickly goes stale, will not be synchronized with database 340 because the mobile device may be easily lost or stolen, may contain limited memory for storing data, may have  
5 limited bandwidth to transfer large amounts of data, and/or for other reasons. Also note that not all data in database 340 will be synchronized with remote database 120 because some of the data in database 340 may be private, personal, and/or for other reasons. Alternatively, data in database 340 may be synchronized  
10 with a second remote storage device (not shown).

Application/UI 330 includes a client capable to accept data search requests from a user and to refine those requests. Further, application/UI 330 searches local database 340 and, in conjunction with remote access client 300, queries remote  
15 database manager 110 to search remote database 120 for data corresponding to the data search requests and retrieves the corresponding data. Application/UI 330, in conjunction with browser/rendering client 310, can display the retrieved data in a merged user interface on a display, such as display 240.

20 Application/UI 330 may include a single user interface application or may include a plurality of user interface applications. For example, in an embodiment of the invention, application/UI 330 may include a corporate directory UI capable to search, retrieve, and display corporate directory workspace

elements from remote database 120 and database 340 in a single merged UI. In another embodiment of the invention, application/UI 330 may include a calendar UI capable to search, retrieve, and display calendar workspace elements from remote database 120 and database 340 into a single merged display. Other embodiments of application/UI 340 include a customer relationship management (CRM) interface, a sales force automation (SFA) interface, a tasks interface, and a files interface.

FIG. 4 is a flowchart illustrating a method 400 for viewing data stored either locally or remotely. In an embodiment of the invention, application/UI 330, in conjunction with remote access client 300 and browser/rendering client 310, perform the method 400. First, a data request is received (405) from a user via a data input device, such as input device 250, of a device, such as mobile device 150. The data request may include a type of data to search for (e.g., CRM, SFA, corporate directory data, calendar data, etc.), search terms, and whether to search a remote database, a local database, or both local and remote (i.e., merged) databases. Next, it is determined (410) if the data request is for merged data (i.e., search both local and remote databases). If the data request is for merged data, then a number of workspace elements in local and remote databases matching the search terms is identified (510, FIG. 5) as will be discussed further below in conjunction with FIG. 5.

If the data request does not specify searching both remote and local databases, then it is determined (420) if the data request is for a remote database only. If the data request is not for a remote database, then the data request is for a local database and  
5 a number of workspace elements in a local database, such as database 340, matching the search terms is identified (450), as will be discussed further below.

If data request is for a remote database, then a number of workspace elements in a remote database, such as remote  
10 database 120, that match the search request terms is identified (425). It is then determined (430) if the number of matching workspace elements is voluminous, e.g., more than can be displayed simultaneously on a display, such as display 240, or more than a pre-specified number, etc. If the number of workspace  
15 elements is determined to be voluminous, then search terms in the data request are refined (435) per a user's specifications or via other techniques. The number of workspace elements matching the refined search terms is then identified (425). This process of refining search terms is repeated until the number of workspace  
20 elements is determined not to be voluminous.

After the number of workspace elements having matching search terms has been determined not to be voluminous, then the matching workspace elements are retrieved (440) from the remote database. The retrieved workspace elements are then displayed

(445) on display device, such as display 240. In another embodiment of the invention, the retrieved workspace elements or a subset of retrieved workspace elements may then also be stored in local memory. The method 400 then ends.

5        If it is determined that the search request is not for a remote database, as discussed above, then, a number of workspace elements in a local database matching the search terms in the request is identified (450). It is then determined (455) if the number of matching workspace elements in the local database is  
10    voluminous, e.g., more than can be displayed simultaneously on a display, such as display 240, or more than a pre-specified number, etc. If the number of workspace elements is determined to be voluminous, then search terms in the data request are refined (460) per a user's specifications or via other techniques. The  
15    number of workspace elements matching the refined search terms is then identified (450). This process of refining search terms is repeated until the number of workspace elements is determined not to be voluminous.

      After the number of workspace elements having matching  
20    search terms has been determined not to be voluminous, then the matching workspace elements are retrieved (465) from the local database. The retrieved workspace elements are then displayed (470) on a display device, such as display 240. The method 400 then ends.

FIG. 5 is a flowchart illustrating a method 500 for merging remotely and locally stored data into a single user interface. In an embodiment of the invention, application/UI 330 in conjunction with remote access client 300 and browser/rendering client 310, perform the method 500. After receiving (405; FIG. 4) a data request and determining (410) that the data request is for workspace elements from both a local and a remote database, a number of workspace elements in the local and the remote databases matching the data request is determined (510). It is then determined (520) if the number of matching workspace elements is voluminous, e.g., more than can be displayed simultaneously on a display, such as display 240, or more than a pre-specified number, etc. If the number of workspace elements is determined to be voluminous, then search terms in the data request are refined (530) per a user's specifications or via other techniques. The number of workspace elements matching the refined search terms is then identified (510). This process of refining search terms is repeated until the number of workspace elements is determined not to be voluminous.

After the number of workspace elements having matching search terms has been determined not to be voluminous, then the matching workspace elements are retrieved (540) from the remote database. The retrieved workspace elements from both local and remote databases are then displayed (550) on display device, such

as display 240. In another embodiment of the invention, the retrieved workspace elements or a subset of retrieved workspace elements from the remote database may then also be stored in the local database. Further, the retrieved workspace elements or a subset of retrieved workspace elements from the local database  
5 may then also be stored in the remote database. The method 500 then ends.

FIG. 6 is a diagram illustrating an example embodiment of a user interface selection page. The page enables a user to select one  
10 of n, e.g., six user interfaces for retrieving data from remote and/or local memory. The user interfaces include a calendar 610, directory 620, tasks 630, files 640, SFA 650 and CRM 660. In another embodiment of the invention, additional or alternative UIs may be available.

15 FIG. 7 is a diagram illustrating a corporate directory graphical user interface for searching and retrieving data from a local database, a remote database and merged databases (i.e., both local and remote databases). Options for searching and retrieving data include a first option 710 to enable a user to retrieve data  
20 from a local database, a second option 720 to retrieve data from a remote database, and a third option 730 for retrieving data from both local and remote databases.

FIG. 8 is a diagram illustrating a search term page for retrieving data from both local and remote databases for display in

a single interface. Search options include a first option 810 to show workspace elements in alphabetical order starting with a letter selected by a user via entering the desired letter; a second option 820 to show workspace elements based on having a specific name; a third option 830 for entering search terms; and fourth option 840 to show directory workspace elements in alphabetic order starting with a letter as selected by a user pressing a button corresponding to the letter. Other methods of searching and retrieving workspace elements may also be incorporated into the search term page including a Boolean terms search, etc.

FIG. 9 is a diagram illustrating a refine search page. If the search performed returns a number of workspace elements determined to be voluminous, e.g. too many workspace elements to be displayed simultaneously, etc. then the number of matching workspace elements must be pared down. Options for refining the search include a first option 910 to only display the first five matching workspace elements; a second option 920 to display the last five matches; and a third option 930 to search the matching workspace elements using user-specified search terms. In an embodiment of the invention, other techniques for refine a search may also be included.

FIG. 10 is a diagram illustrating local and remote corporate directory data merged into an example single user interface. The interface displays workspace elements 1010, which for each

workspace element includes an employee name, an email address, and a store indicating where the workspace element is stored, i.e., local or remote. For example, employee Aaron has an email address of aaron@abc.com and his or her workspace element is stored in remote memory. In comparison, employee Andrews has an email address of Andrews@abc.com and his or her workspace element is stored in local memory. In an alternative embodiment, workspace elements may display additional or alternative data, such as home, work, facsimile and/or mobile phone numbers, email addresses, employee photos, employee identification numbers, employee job skills, languages spoken by employees, employee job positions or titles, employee educational backgrounds, corporate location, etc. In addition, workspace elements 1010 may include data workspace elements for corporations, corporate subdivisions, and other entities.

In addition to the workspace elements 1010, the interface of FIG. 10 also has buttons 1020 for performing functions including: adding a new workspace element to a local database; delete a workspace element from local or remote databases (in one embodiment, a user may only be able to delete a workspace element from a local database); add a workspace element stored remotely, such as workspace element 1010a, to a local database or add a workspace element stored locally, such as workspace element 1010d, to a remote database; display a first page of



workspace elements according to search parameters defined earlier; display a next page of workspace elements according to search parameters defined earlier; displaying a previous page of workspace elements according to search parameters defined earlier; and displaying a last page of workspace elements according to search parameters defined earlier. In an alternative embodiment of the invention, other features may be instituted in addition or in alternative to the features enabled by buttons 1020.

The foregoing description of the preferred embodiments of the present invention is by way of example only, and other variations and modifications of the above-described embodiments and methods are possible in light of the foregoing teaching. Although the network sites are being described as separate and distinct sites, one skilled in the art will recognize that these sites may be a part of an integral site, may each include portions of multiple sites, or may include combinations of single and multiple sites on either side of a firewall. Further, components of this invention may be implemented using a programmed general purpose digital computer, using application specific integrated circuits, or using a network of interconnected conventional components and circuits.

Connections may be wired, wireless, modem, etc. The embodiments described herein are not intended to be exhaustive or limiting. The present invention is limited only by the following claims.

WHAT IS CLAIMED IS:

1. A method, comprising:
  - receiving a data search request;
  - searching in a local database for data corresponding to the
  - 5 data search request;
  - querying a remote database manager to search, in a remote
  - database, for data corresponding to the data search request;
  - retrieving, from the local database, data corresponding to the
  - data search request;
  - 10 receiving, from the remote database, data corresponding to
  - the data search request; and
  - presenting the retrieved and received data in a single user
  - interface.
- 15 2. The method of claim 1, wherein the remote database stores voluminous data.
3. The method of claim 1, wherein the remote database stores confidential data.
- 20 4. The method of claim 1, wherein the remote database stores data that quickly goes stale.

5. The method of claim 1, wherein the local database stores personal data.
6. The method of claim 1, wherein the local and remote  
5 databases store sales force automation data.
7. The method of claim 1, wherein the local and remote databases store customer relations management data.
- 10 8. The method of claim 1, wherein the local and remote databases store corporate directory data.
9. The method of claim 1, wherein the local and remote databases store calendar data.
- 15 10. The method of claim 1, wherein the local and remote databases store tasks data.
11. The method of claim 1, wherein the local and remote  
20 databases store files.
12. The method of claim 1, further comprising:  
determining if receiving data corresponding to the data  
search request would result in receiving a voluminous amount of

data from the remote database; and

refining the data search request if it is determined that receiving data corresponding to the data search request would result in receiving a voluminous amount of data.

5

13. The method of claim 1, further comprising saving, to the local database, data received from the remote database.

14. A machine-readable medium having stored thereon machine-readable code to permit a machine to effect a method, comprising:

10 receiving a data search request;

searching in a local database for data corresponding to the data search request;

querying a remote database manager to search, in a remote

15 database, for data corresponding to the data search request;

retrieving, from the local database, data corresponding to the data search request;

receiving, from the remote database, data corresponding to the data search request; and

20 presenting the retrieved and received data in a single user interface.

15. The machine-readable medium of claim 14, wherein the remote database stores voluminous data.

16. The machine-readable medium of claim 14, wherein the remote database stores confidential data.

17. The machine-readable medium of claim 14, wherein the  
5 remote database stores data that quickly goes stale.

18. The machine-readable medium of claim 14, wherein the local database stores personal data.

10 19. The machine-readable medium of claim 14, wherein the local and remote databases store sales force automation data.

20. The machine-readable medium of claim 14, wherein the local and remote databases store customer relations management data.

15 21. The machine-readable medium of claim 14, wherein the local and remote databases store corporate directory data.

22. The machine-readable medium of claim 14, wherein the local  
20 and remote databases store calendar data.

23. The machine-readable medium of claim 14, wherein the local and remote databases store tasks data.

24. The machine-readable medium of claim 14, wherein the local and remote databases store files.

25. The machine-readable medium of claim 14, wherein the  
5 method further comprises:  
determining if receiving data corresponding to the data  
search request would result in receiving a voluminous amount of  
data from the remote database; and  
refining the data search request if it is determined that  
10 receiving data corresponding to the data search request would  
result in receiving a voluminous amount of data.

26. The machine-readable medium of claim 14, wherein the  
method further comprises saving, to the local database, data  
15 received from the remote database.

27. A system, comprising:  
means for receiving a data search request;  
means for searching in a local database for data  
20 corresponding to the data search request;  
means for querying a remote database manager to search, in  
a remote database, for data corresponding to the data search  
request;  
means for retrieving, from the local database, data

corresponding to the data search request;

means for receiving, from the remote database, data  
corresponding to the data search request; and

means for presenting the retrieved and received data in a  
5 single user interface.

28. An apparatus, comprising:

a local database;

a user interface, communicatively coupled to the local  
10 database, capable to receive a search request and to search for and  
retrieve, from the local database, data corresponding to the data  
search request;

a remote access engine, communicatively coupled to a  
network and the user interface, capable to query and receive, from  
15 a remote database communicatively coupled to the network, data  
corresponding to the received search request; and

a rendering engine, communicatively coupled to the remote  
access engine and the user interface, capable to present the  
received data from the remote database and retrieved data from the  
20 local database.

29. The apparatus of claim 28, wherein the local database stores  
personal data.

30. The apparatus of claim 28, wherein the local database stores sales force automation data.

31. The apparatus of claim 28, wherein the local database stores  
5 customer relations management data.

32. The apparatus of claim 28, wherein the local database stores corporate directory data.

10 33. The apparatus of claim 28, wherein the local database stores calendar data.

34. The apparatus of claim 28, wherein the local database stores tasks data.

15

35. The apparatus of claim 28, wherein the local database stores files.

36. The apparatus of claim 28, wherein the user interface is  
20 further capable to:

determine if receiving data corresponding to the data search request would result in retrieving a voluminous amount of data from the remote database; and

refine the data search request if it is determined that



receiving data corresponding to the data search request would result in receiving a voluminous amount of data.

37. The apparatus of claim 28, wherein the user interface is
- 5 further capable to save, to the local database, data received from the remote database.

1/6




FIG. 1

2/6




FIG. 2




FIG. 3

3/6/




FIG. 4

400




FIG. 5

5/6




FIG. 6




FIG. 7




FIG. 8

6/6

Refine Search

910 ☒ Display First Five Matches.

920 ☐ Display Last Five Matches.

930 ☐ Search Terms: \_\_\_\_\_

FIG. 9

Merged Directory Information

	<u>Name</u>	<u>Address</u>	<u>Store</u>	
1010	<input checked="" type="checkbox"/> Aaron	aaron@abc.com	Remote	← 1010a
	<input type="checkbox"/> Abel	abel@abc.com	Remote	
	<input type="checkbox"/> Abigal	abigal@abc.com	Local	
	<input type="checkbox"/> Andrews	andrews@abc.com	Local	← 1010d
	<input type="checkbox"/> Arnold	arnold@abc.com	Remote	

1020

Add New	Delete	Add to Local Directory	
First Page	Next Page	Prev Page	Last Page

FIG. 10

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/34014

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/30

US CL : 707/3, 10, 500.1

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 707/3, 10, 500.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
Please See Continuation Sheet

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	US 6,324,542 B1 (WRIGHT, Jr. et al) 27 November 2001 (27.11.2001), column 4, lines 41-53; column 6, lines 12-26; column 7, lines 12-22; column 6, lines 32-33;	1-11, 13-24, 26-35 and 37
A,P	column 7, lines 17-20; figur3, element 162; column 6, lines 27-28; column 3, line 50; column 7, lines 19-20;	12, 25 and 36
A	US 6,304,881 B1 (HALIM et al) 16 October 2001 (16.10.2001), columns 4-12.	1-37
A,P	US 6,311,186 B1 (MELAMPY et al) 30 October 2001 (30.10.2001), columns 8-21.	1-37

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&"

document member of the same patent family

Date of the actual completion of the international search

13 December 2002 (13.12.2002)

Date of mailing of the international search report

06 JAN 2003

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Haythim J. Alaubaidi

Telephone No. (703) 305-1950

*James R. Matthews*